

	Type	Hits	Search Text	DBs	Time Stamp	Comments
142	BRS	83	(702/122.ccls. or 709/223,224,227,228,229,23 0.ccls. or 370/229,230,230.1,231,232, 401,912.ccls. or 713/200,201.ccls.) and firewall\$1 with communication\$1 with network\$1 and (clos\$3 or open\$3) with (port\$1 or wire\$1 or pinhole\$1 or channel\$1) clos\$3 with port\$1 with (tim\$3 or duration\$1 or interval\$1) with (threshold\$1 or preselected or predefined or predetermined)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	2005/09/28 15:43	
143	BRS	1037		US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/29 09:14	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
144	BRS	4	(702/122.ccls. or 709/223,224,227,228,229,23 0.ccls. or 370/229,230,230.1,231,232, 401,912.ccls. or 713/200,201.ccls.) and clos\$3 with port\$1 with (tim\$3 or duration\$1 or interval\$1) with (threshold\$1 or preselected or predefined or predetermined)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/29 09:19	
145	BRS	76	delay\$3 with clos\$3 with port\$1 with (tim\$3 or duration\$1 or interval\$1) with (threshold\$1 or preselected or predefined or predetermined)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/29 09:21	
146	BRS	135	delay\$3 with clos\$3 with (port\$1 or wire\$1 or pinhole\$1 or channel\$1) with (tim\$3 or duration\$1 or interval\$1) with (threshold\$1 or preselected or predefined or predetermined)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/29 09:21	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
147	BRS	0	(702/122.ccls. or 709/223,224,227,228,229,23 0.ccls. or 370/229,230,230.1,231,232, 401,912.ccls. or 713/200,201.ccls.) and delay\$3 with clos\$3 with (port\$1 or wire\$1 or pinhole\$1 or channel\$1) with (tim\$3 or duration\$1 or interval\$1) with (threshold\$1 or preselected or predefined or predetermined)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/29 09:21	
148	BRS	2	("702"/\$.ccls. or "709"/\$.ccls. or "370"/\$.ccls. or "713"/\$.ccls.) and delay\$3 with clos\$3 with (port\$1 or wire\$1 or pinhole\$1 or channel\$1) with (tim\$3 or duration\$1 or interval\$1) with (threshold\$1 or preselected or predefined or predetermined)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/29 09:24	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
149	BRS	2	("702"/\$.ccls. or "709"/\$.ccls. or "370"/\$.ccls. or "713"/\$.ccls.) and delay\$3 same clos\$3 with (port\$1 or wire\$1 or pinhole\$1 or channel\$1) with (tim\$3 or duration\$1 or interal\$1) with (threshold\$1 or preselected or predefined or predetermined)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/29 09:24	
150	BRS	3	("702"/\$.ccls. or "709"/\$.ccls. or "370"/\$.ccls. or "713"/\$.ccls.) and (congest\$3 or latency or delay\$3 or jam\$4) same clos\$3 with (port\$1 or wire\$1 or pinhole\$1 or channel\$1) with (tim\$3 or duration\$1 or interal\$1) with (threshold\$1 or preselected or predefined or predetermined)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/29 09:26	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
151	BRS	255	("702"/\$.ccls. or "709"/\$.ccls. or "370"/\$.ccls. or "713"/\$.ccls.) and (congest\$3 or latency or delay\$3 or jam\$4) same clos\$3 with (port\$1 or wire\$1 or pinhole\$1 or channel\$1) and (tim\$3 or duration\$1 or interal\$1) with (threshold\$1 or preselected or predefined or predetermined)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/29 09:26	
152	BRS	15	("702"/\$.ccls. or "709"/\$.ccls. or "370"/\$.ccls. or "713"/\$.ccls.) and (congest\$3 or latency or delay\$3 or jam\$4) same clos\$3 with (port\$1 or wire\$1 or pinhole\$1 or channel\$1) same (tim\$3 or duration\$1 or interal\$1) with (threshold\$1 or preselected or predefined or predetermined)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/29 09:26	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
153	BRS	78	("702"/\$.cccls. or "709"/\$.cccls. or "370"/\$.cccls. or "713"/\$.cccls.) and (congest\$3 or latency or delay\$3 or jam\$4) same clos\$3 with (port\$1 or wire\$1 or pinhole\$1 or channel\$1) and delay with (tim\$3 or duration\$1 or interval\$1) with (threshold\$1 or preselected or predefined or predetermined)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/29 09:27	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
154	BRS	33	("702"/\$.ccls. or "709"/\$.ccls. or "370"/\$.ccls. or "713"/\$.ccls.) and (congest\$3 or latency or delay\$3 or jam\$4) with clos\$3 with (port\$1 or wire\$1 or pinhole\$1 or channel\$1) and delay with (tim\$3 or duration\$1 or interval\$1) with (threshold\$1 or preselected or predefined or predetermined)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/29 09:29	
155	BRS	35	communication\$1 with network\$1 and (congest\$3 or latency or delay\$3 or jam\$4) with clos\$3 with (port\$1 or wire\$1 or pinhole\$1 or channel\$1) and delay with (tim\$3 or duration\$1 or interval\$1) with (threshold\$1 or preselected or predefined or predetermined)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/29 09:29	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
156	BRS	3	communication\$1 with network\$1 and firewall\$1 and voice\$1 and (congest\$3 or latency or delay\$3 or jam\$4) with clos\$3 with (port\$1 or wire\$1 or pinhole\$1 or channel\$1) and delay with (tim\$3 or duration\$1 or interval\$1) with (threshold\$1 or preselected or predefined or predetermined)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/29 09:30	
157	BRS	3	firewall\$1 and voice\$1 and (congest\$3 or latency or delay\$3 or jam\$4) with clos\$3 with (port\$1 or wire\$1 or pinhole\$1 or channel\$1) and delay with (tim\$3 or duration\$1 or interval\$1) with (threshold\$1 or preselected or predefined or predetermined)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/29 09:30	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
158	BRS	4	voip and (congest\$3 or latency or delay\$3 or jam\$4) with clos\$3 with (port\$1 or wire\$1 or pinhole\$1 or channel\$1) and delay with (tim\$3 or duration\$1 or interal\$1) with (threshold\$1 or preselected or predefined or predetermined)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/29 09:33	
159	BRS	3	voip and (congest\$3 or latency or delay\$3 or jam\$4) with clos\$3 with (port\$1 or wire\$1 or pinhole\$1 or channel\$1) and delay with (tim\$3 or duration\$1 or interal\$1) same (alert\$3 or alarm\$1 or warn\$3) with (threshold\$1 or preselected or predefined or predetermined)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/29 09:34	

Type	Hits	Search Text	DBs	Time Stamp	Comments
160 BRS	18	(congest\$3 or latency or delay\$3 or jam\$4) with clos\$3 with (port\$1 or wire\$1 or pinhole\$1 or channel\$1) and delay with (tim\$3 or duration\$1 or interal\$1) same (alert\$3 or alarm\$1 or warn\$3) with (threshold\$1 or preselected or predefined or predetermined)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/29 09:35	
161 BRS	19	(congest\$3 or latency or delay\$3 or jam\$4) with clos\$3 with (port\$1 or wire\$1 or pinhole\$1 or channel\$1) and delay\$3 with (tim\$3 or duration\$1 or interal\$1 or period\$1) same (alert\$3 or alarm\$1 or warn\$3) with (threshold\$1 or preselected or predefined or predetermined)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/29 09:35	

Type	Hits	Search Text	DBs	Time Stamp	Comments
162 BRS	7	("702"/\$.ccls. or "709"/\$.ccls. or "370"/\$.ccls. or "713"/\$.ccls.) and (congest\$3 or latency or delay\$3 or jam\$4) with clos\$3 with (port\$1 or wire\$1 or pinhole\$1 or channel\$1) and delay\$3 with (tim\$3 or duration\$1 or interal\$1 or period\$1) and (alert\$3 or alarm\$1 or warn\$3) with (threshold\$1 or preselected or predefined or predetermined)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/29 10:04	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
163	BRS	61	(congest\$3 or latency or delay\$3 or jam\$4) with clos\$3 with (port\$1 or wire\$1 or pinhole\$1 or channel\$1) and delay\$3 with (tim\$3 or duration\$1 or interal\$1 or period\$1) and (alert\$3 or alarm\$1 or warn\$3) with (threshold\$1 or preselected or predefined or predetermined)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/29 09:50	
164	BRS	81	(congest\$3 or latency or delay or delays or jam\$4) with (terminat\$3 or clos\$3) with (port\$1 or wire\$1 or pinhole\$1 or channel\$1) and delay\$3 with (tim\$3 or duration\$1 or interal\$1 or period\$1) and (alert\$3 or alarm\$1 or warn\$3) with (threshold\$1 or preselected or predefined or predetermined)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/29 09:51	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
165	BRS	6	(702/122.ccls. or 709/223,224,227,228,229,23 0.ccls. or 370/229,230,230.1,231,232, 401,912.ccls. or 713/200,201.ccls.) and delays with (terminat\$3 or clos\$3) with (port\$1 or wire\$1 or pinhole\$1 or channel\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/29 09:54	
166	BRS	6	(702/122.ccls. or 709/223,224,227,228,229,23 0.ccls. or 370/229,230,230.1,231,232, 401,912.ccls. or 713/200,201.ccls.) and delays with (terminat\$3 or clos\$3) with (port\$1 or wire\$1 or pinhole\$1 or channel\$1 or pin adj holes)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/29 09:55	
167	BRS	6	voip and delays with (terminat\$3 or clos\$3) with (port\$1 or wire\$1 or pinhole\$1 or channel\$1 or pin adj holes)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/29 09:56	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
168	BRS	12	firewall\$1 and delays with (terminat\$3 or clos\$3) with (port\$1 or wire\$1 or pinhole\$1 or channel\$1 or pin adj holes)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/29 09:57	
169	BRS	32	firewall\$1 and delay\$1 same (terminat\$3 or clos\$3) with (port\$1 or wire\$1 or pinhole\$1 or channel\$1 or pin adj holes)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/29 09:58	
170	BRS	0	("702"/\$.ccls. or "709"/\$.ccls. or "370"/\$.ccls. or "713"/\$.ccls.) and clos\$3 with (port\$1 or wire\$1 or pinhole\$1 or channel\$1) and (differen\$2 odr compar\$4) with (congest\$3 or latency or delay\$3 or jam\$4) with (threshold\$1 or preselected or predefined or predetermined) with (alert\$3 or alarm\$1 or warn\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/29 10:06	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
171	BRS	0	("702"/\$.cccls. or "709"/\$.cccls. or "370"/\$.cccls. or "713"/\$.cccls.) and open\$3 with clos\$3 with (port\$1 or wire\$1 or pinhole\$1 or channel\$1) and (differen\$2 odr compar\$4) with (congest\$3 or latency or delay\$3 or jam\$4) with (threshold\$1 or preselected or predefined or predetermined) with (alert\$3 or alarm\$1 or warn\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/29 10:06	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
172	BRS	3	("702"/\$.ccls. or "709"/\$.ccls. or "370"/\$.ccls. or "713"/\$.ccls.) and open\$3 with clos\$3 with (port\$1 or wire\$1 or pinhole\$1 or channel\$1) and (congest\$3 or latency or delay\$3 or jam\$4) with (threshold\$1 or preselected or predefined or predetermined) with (alert\$3 or alarm\$1 or warn\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/29 10:07	
173	BRS	3	voip and firewall\$1 and open\$3 with clos\$3 with (port\$1 or wire\$1 or pinhole\$1 or channel\$1) and (congest\$3 or latency or delay\$3 or jam\$4) with (threshold\$1 or preselected or predefined or predetermined) with (alert\$3 or alarm\$1 or warn\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/29 10:12	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
174	BRS	5	firewall\$1 and open\$3 with clos\$3 with (port\$1 or wire\$1 or pinhole\$1 or channel\$1) and (congest\$3 or latency or delay\$3 or jam\$4) with (threshold\$1 or preselected or predefined or predetermined) with (alert\$3 or alarm\$1 or warn\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/29 10:17	
175	BRS	3	firewall\$1 and open\$3 with clos\$3 with (port\$1 or wire\$1 or pinhole\$1 or channel\$1) same (congest\$3 or latency or delay\$3 or jam\$4) with (threshold\$1 or preselected or predefined or predetermined) with (alert\$3 or alarm\$1 or warn\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/29 10:18	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
176	BRS	3	firewall\$1 and (congest\$3 or latency or delay\$3 or jam\$4) with open\$3 with clos\$3 with (port\$1 or wire\$1 or pinhole\$1 or channel\$1) and (congest\$3 or latency or delay\$3 or jam\$4) with (threshold\$1 or preseleced or predefined or predetermined) with (alert\$3 or alarm\$1 or warn\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/29 10:18	
177	BRS	3	firewall\$1 and (congest\$3 or latency or delay\$3 or jam\$4) with open\$3 same clos\$3 with (port\$1 or wire\$1 or pinhole\$1 or channel\$1) and (congest\$3 or latency or delay\$3 or jam\$4) with (threshold\$1 or preseleced or predefined or predetermined) with (alert\$3 or alarm\$1 or warn\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/29 10:19	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
178	BRS	3	communication\$1 with network\$1 and (congest\$3 or latency or delay\$3 or jam\$4) with open\$3 same clos\$3 with (port\$1 or wire\$1 or pinhole\$1 or channel\$1) and (congest\$3 or latency or delay\$3 or jam\$4) with (threshold\$1 or preselected or predefined or predetermined) with (alert\$3 or alarm\$1 or warn\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/29 10:19	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
179	BRS	3	communication\$1 same network\$1 and (congest\$3 or latency or delay\$3 or jam\$4) with open\$3 same clos\$3 with (port\$1 or wire\$1 or pinhole\$1 or channel\$1) and (congest\$3 or latency or delay\$3 or jam\$4) with (threshold\$1 or preselected or predefined or predetermined) with (alert\$3 or alarm\$1 or warn\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/29 10:19	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
180	BRS	4	communication\$1 same network\$1 and (congest\$3 or latency or delay\$3 or jam\$4) with (open\$3 or clos\$3) with (port\$1 or wire\$1 or pinhole\$1 or channel\$1) and (congest\$3 or latency or delay\$3 or jam\$4) with (threshold\$1 or preselected or predefined or predetermined) with (alert\$3 or alarm\$1 or warn\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/29 10:20	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
181	BRS	4	communication\$1 and voice and network\$1 and (congest\$3 or latency or delay\$3 or jam\$4) with (open\$3 or clos\$3) with (port\$1 or wire\$1 or pinhole\$1 or channel\$1) and (congest\$3 or latency or delay\$3 or jam\$4) with (threshold\$1 or preselected or predefined or predetermined) with (alert\$3 or alarm\$1 or warn\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/29 10:21	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
182	BRS	5	(congest\$3 or latency or delay\$3 or jam\$4) with clos\$3 with (port\$1 or wire\$1 or pinhole\$1 or channel\$1) and delay\$3 with (tim\$3 or duration\$1 or interval\$1 or period\$1) same (alert\$3 or alarm\$1 or warn\$3) with (threshold\$1 or preselected or predefined or predetermined) and voice\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/29 10:46	
183	BRS	19	(congest\$3 or latency or delay\$3 or jam\$4) with clos\$3 with (port\$1 or wire\$1 or pinhole\$1 or channel\$1) and delay\$3 with (tim\$3 or duration\$1 or interval\$1 or period\$1) same (alert\$3 or alarm\$1 or warn\$3) with (threshold\$1 or preselected or predefined or predetermined)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/29 10:45	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
184	BRS	6	(congest\$3 or latency or delay\$3 or jam\$4) with clos\$3 with (port\$1 or wire\$1 or pinhole\$1 or channel\$1) and (congest\$3 or latency or delay\$3 or jam\$4) with (alert\$3 or alarm\$1 or warn\$3) with (threshold\$1 or preselected or predefined or predetermined) and voice\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/29 10:48	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
185	BRS	0	(702/122.ccls. or 709/223,224,227,228,229,23 0.ccls. or 370/229,230,230.1,231,232, 401,912.ccls. or 713/200,201.ccls.) and (congest\$3 or latency or delay\$3 or jam\$4) with clos\$3 with (port\$1 or wire\$1 or pinhole\$1 or channel\$1) and (congest\$3 or latency or delay\$3 or jam\$4) with (alert\$3 or alarm\$1 or warn\$3) with (threshold\$1 or preselected or predefined or predetermined)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/29 10:48	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
186	BRS	1	("702"/\$.ccls. or "709"/\$.ccls. or "370"/\$.ccls. or "713"/\$.ccls.) and (congest\$3 or latency or delay\$3 or jam\$4) with clos\$3 with (port\$1 or wire\$1 or pinhole\$1 or channel\$1) and (congest\$3 or latency or delay\$3 or jam\$4) with (alert\$3 or alarm\$1 or warn\$3) with (threshold\$1 or preselected or predefined or predetermined)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/29 10:49	
187	IS&R	2	("6633582").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/29 10:50	
188	IS&R	2	("6792321").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/29 10:53	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
189	BRS	0	ednpint\$1 with media\$1 and (congest\$3 or latency or delay\$3 or jam\$4) same (threshold\$1 or preselected or predefined or predetermined) with (alert\$3 or alarm\$1 or warn\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/29 11:38	
190	BRS	0	ednpint\$1 and (congest\$3 or latency or delay\$3 or jam\$4) same (threshold\$1 or preselected or predefined or predetermined) with (alert\$3 or alarm\$1 or warn\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/29 11:37	
191	BRS	460	communication\$1 with network\$1 and (congest\$3 or latency or delay\$3 or jam\$4) same (threshold\$1 or preselected or predefined or predetermined) with (alert\$3 or alarm\$1 or warn\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/29 11:37	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
192	BRS	39	communication\$1 with network\$1 and firewall\$1 and (congest\$3 or latency or delay\$3 or jam\$4) same (threshold\$1 or preselected or predefined or predetermined) with (alert\$3 or alarm\$1 or warn\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/29 11:37	
193	BRS	3527	(congest\$3 or latency or delay\$3 or jam\$4) same (threshold\$1 or preselected or predefined or predetermined) with (alert\$3 or alarm\$1 or warn\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/29 11:38	
194	BRS	2233	(congest\$3 or latency or delay\$3 or jam\$4) with (threshold\$1 or preselected or predefined or predetermined) with (alert\$3 or alarm\$1 or warn\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/29 11:38	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
195	BRS	26	firewall\$1 and (congest\$3 or latency or delay\$3 or jam\$4) with (threshold\$1 or preselected or predefined or predetermined) with (alert\$3 or alarm\$1 or warn\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/29 11:39	
196	BRS	0	firewall\$1 and endpoint\$1 and (congest\$3 or latency or delay\$3 or jam\$4) with (threshold\$1 or preselected or predefined or predetermined) with (alert\$3 or alarm\$1 or warn\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/29 11:55	
197	BRS	8	firewall\$1 and (end-point\$1 or end adj point\$1 or endpoint\$1) and (congest\$3 or latency or delay\$3 or jam\$4) with (threshold\$1 or preselected or predefined or predetermined) with (alert\$3 or alarm\$1 or warn\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/29 11:40	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
198	BRS	9	firewall\$1 and (end-point\$1 or end adj point\$1 or endpoint\$1) and (congest\$3 or latency or delay\$3 or jam\$4) same (threshold\$1 or preselected or predefined or predetermined) with (alert\$3 or alarm\$1 or warn\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/29 11:41	
199	BRS	11	firewall\$1 and endpoint\$1 and (congest\$3 or latency or delay\$3 or jam\$4) with (clos\$3 or terminat\$3) with (port\$1 or wire\$1 or pinhole\$1 or channel\$1 or pin adj holes)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/29 12:17	
200	BRS	37	firewall\$1 and (congest\$3 or latency or delay\$3 or jam\$4) with (clos\$3 or terminat\$3) with (port\$1 or wire\$1 or pinhole\$1 or channel\$1 or pin adj holes)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/29 12:29	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
201	BRS	2	"20040001459"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/09/29 12:29	
202	BRS	215	communication\$1 with network\$1 and (measur\$6 or monitor\$3 or determin\$4) with (delay\$1 or congest\$3 or jam\$3) with (port\$1 or wire\$1 or pinhole\$1 or channel\$1) with (destinat\$3 or end\$3 or clos\$3 or terminat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/09/29 13:04	
203	BRS	5	communication\$1 with network\$1 and firewall\$1 and (measur\$6 or monitor\$3 or determin\$4) with (delay\$1 or congest\$3 or jam\$3) with (port\$1 or wire\$1 or pinhole\$1 or channel\$1) with (destinat\$3 or end\$3 or clos\$3 or terminat\$3) with (new or open\$3 or source)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/09/29 13:05	